

21 June 2024

To, Member Secretary Chandigarh Pollution Control Committee Paryavaran Bhawan Madhya Marg, Sector 19B Chandigarh 160019

Subject: Submission of Form-4 for filing Bio-Medical Waste Returns

Dear Sir/Madam

With reference to above subject, we herewith submit the Annual Bio-Medical Waste Returns Form- 4 for FY 2023 (January 2023- December 2023) for Infosys Limited, Chandigarh under Bio-Medical Waste Management Rules, 2016.

Enclosed:

1. Form- 4 for Bio-Medical Waste Return

Thanking You,

For Infosys Limited

Puneet Randhawa

Senior Regional Head - Facilities

Chandigarh 160 101, India T 91 172 503 8000 F 91 172 504 6860 44, Infosys Avenue Electronics City, Hosur Road Bengaluru 560 100, India T 91 80 2852 0261 F 91 80 2852 0362

askus@infosys.com www.infosys.com

Form - IV (See rule 13) ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl.No.	Particulars			
1	Particulars of the Occupier			
	(i) Name of the authorised person (occupier oroperator of facility)		Puneet Randhawa	
			Senior Regional Head- Facilities	
	(ii) Name of HCF or CBMWTF	:	M/s Infosys Limited	
	(iii) Address for Correspondence		M/s Infosys Limited	
			Plot no.1, Rajiv Gandhi Chandigarh	
			Technology Park, Kishangarh, Chandigarh	
	(iv) Address of Facility		M/s Infosys Limited	
	Pile		Plot no.1, Rajiv Gandhi Chandigarh	
	(v)Tel. No, Fax. No		Technology Park, Kishangarh, Chandigarh Tel: 0172-5038500	
	(vi) E-mail ID	:		
	(vii) URL of Website			
	(viii) GPS coordinates of HCF or CBMWTF		(7)	
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or	
			Semi Govt. or any other): NA	
	(x). Status of Authorisation under the Bio-	;	Authorization No.:	
	MedicalWaste (Management and Handling) Rules		CPCC/BMW/102/2017/41/501 dated 24.05.2017	
	(xi). Status of Consents under Water Act and Air Act		CPCC/RLIT/0522/2020/193/3939 Valid up to: 31/07/2027	
2.	Type of Health Care Facility	:		
	(i) Bedded Hospital	:	No. of Beds: NIL	
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory orResearch Institute or Veterinary Hospital or any other)		First Aid Center	
	(iii) License number and its date of expiry		Not Applicable	
3.	Details of CBMWTF	:	in the many of	
	(i) Number healthcare facilities covered	;	Not Applicable	
	(ii) No of beds covered by CBMWTF	:	Not Applicable	
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	Kg per day	
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	Kg/day	

4.	Quantity of waste generated or dispos	Yellow Category: 4.585 Kgs							
	perannum (on monthly average basis)	Yellow Category: 4.585 Kgs Red Category: 0.470 Kgs White: NIL							
	1								
		Blue Category : NIL							
				General Solid		06 705	Kas/annum		
	D : 11 C(1 C)			(Sanitary Pac	ls)		Rgs/ annum		
5	Details of the Storage, treatment, transport				al Facili	ıty			
	(i) Details of the on-site storage	:	Size	: NIL					
	facility		Capacity	: NIL					
			Provisio	n of on-site s	torage	: (col	d storage or		
				er provision) S					
				r biomedical v	waste v	vith lo	ck and key		
	111 C212C			ne Scrap yard	NT.	0	0 4'4		
	disposal facilities	1		of treatment	No	Cap	Quantity		
			equip	ment	of	acit	treatedo		
					unit	y V~/	r diamond		
					S	Kg/	disposed		
						day	in kg		
							per		
			Ingine	restore Not Ann	liaabla		annum		
				Incinerators Not Applicable					
	_	Plasma PyrolysisAutoclaves Microwave Hydroclave							
				der	VC				
				e tip cutter or					
			destro	-		-			
			Sharp	-					
			_	sulation or		_			
			concre						
			1	burial pits:					
			Chem						
				ection:					
				er treatmentequ	ipment:				
	(iii) Quantity of recyclable wastes		ategory (like pl		ass etc.)			
	sold to authorized recyclers after		Not A	pplicable					
	treatment in kg per annum.		Special vehicle allowed to Alliance Envirocare						
	(iv) No of vehicles used for collection	:	-				- 1		
	and transportation of biomedical			C being used l	oy vend	or to c	conect the		
	waste	waste	0	134.	33.71	0#0			
	(v) Details of incineration ash and ETP sludge generated and disposed	1		Quant		Wh			
			Inciner	gener	aleu	aisp	oosed		
	per annum A			аноп			1		
			Ash	udaa Nat A	inghla				
				udge Not Appl liance Enviroca		T #d			
	(vi) Name of the Common Bio-	:	IVI/S A.I.	nance Enviroca	ire PVt.	Lta.			
	Medical Waste Treatment Facility								
	Operator through which wastes are								
	disposed of								

	(vii) List of member HCF not handed over bio-medical waste.	;	
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	:	Not Applicable
7	Details trainings conducted on BMW	;	7
	(i) Number of trainings conducted on BMW Management.	A v	Training is given to ladies handling the sanitary waste in the buildings, regarding the usage of gloves, mask and other necessary PPEs while handling the sanitary waste. Training for the bio-medical waste generated is medical center given to the Nurses who is in charge of the First Aid Center.
	(ii) number of personnel trained	:	
	(iii) number of personnel trained at the time of induction	:	
	(iv) number of personnel not undergone any training so far	:	
	(v) whether standard manual for training is available?	:	
7	(vi) any other information)	:	
8	Details of the accident occurred during the year	:	NIL
	(i) Number of Accidents occurred	:	
	(ii) Number of the persons affected	ţ	
	(iii) Remedial Action taken (Please attach details if any)	:	
	(iv) Any Fatality occurred, details.	:	
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	:	Not Applicable
	Details of Continuous online emission monitoring systems installed	:	Not Applicable
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	:	Not Applicable
11.	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	:	Not Applicable
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from January 2023 to December 2023

Name and Signature of the Head of the Institution

Date: 21/06/24 Place Chandigash